

CANON EOS

December 2008



Latest camera models											
	CANON EOS 5 D Mk II	CANON EOS 50 D	CANON EOS 1000D	CANON EOS 450D	CANON EOS 40D	CANON EOS 1Ds Mk III	CANON EOS 1D Mk III	CANON EOS 400D	CANON EOS 30D	CANON EOS 5D	CANON EOS 350D
Availability since	since Nov '08	since Sep '08	since July '08	since Mar '08	since Oct '07	since Nov '07	since May '07	since Sep '06	since Mar '06	since Sep '05	since Mar '05
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR
Camera flash TTL system	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II
Remote TTL-system - master function in-build flash	---	---	---	---	---	---	---	---	---	---	---

METZ SYSTEM FLASHES

58 AF-1 digital for Canon	TEST result will follow	flash software \geq V2					flash software \geq V1				
48 AF-1 digital for Canon	TEST result will follow	flash software \geq V1									
36 AF-4 digital for Canon	TEST result will follow	flash software \geq V2					flash software \geq V1				

METZ SCA FLASHES

76 MZ-5 digitc with SCA adapter	TEST result will follow										
45 CL 4 digital with cable SCA 3045 and SCA adapter	TEST result will follow	SCA 3102 software \geq M4					SCA 3102 software \geq M3				
54 MZ-4i digital with SCA adapter	TEST result will follow										
44 MZ-2 digital with SCA adapter		--- no E-TTL function ---									

METZ MACRO RINGFLASH

15 MS-1 digital						flash software \geq V1				
------------------------	--	--	--	--	--	--------------------------	--	--	--	--

CANON POWERSHOT

December 2008



Latest camera models											
	CANON PowerShot SX 1 IS	CANON PowerShot G10	CANON PowerShot SX 10 IS	CANON PowerShot G9	CANON PowerShot S5 IS						
Availability since	since Dec '08	since Oct '08	since Oct '08	since Oct '07	since Jun '07						
Camera type	Bridge	Bridge	Bridge	Bridge	Bridge						
Camera flash TTL system	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II						
Remote TTL-system - master function in-built flash	---	---	---	---	---						

METZ SYSTEM FLASHES

58 AF-1 digital for Canon		TEST result will follow	flash software \geq V2								
48 AF-1 digital for Canon		TEST result will follow	flash software \geq V1								
36 AF-4 digital for Canon		TEST result will follow	flash software \geq V2								

METZ SCA FLASHES

76 MZ-5 digital with SCA adapter		TEST result will follow									
45 CL 4 digital with cable SCA 3045 and SCA adapter		TEST result will follow	SCA 3102 software \geq M4								
54 MZ-4i digital with SCA adapter		TEST result will follow									
44 MZ-2 digital with SCA adapter			--- no E-TTL function ---								

METZ MACRO RINGFLASH

15 MS-1 digital	flash software \geq V1										
------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--

NIKON & FUJIFILM SLR

December 2008



Latest camera models											
	NIKON D 90	NIKON D 700	NIKON D 60	NIKON D 3	NIKON D 300	NIKON D 40 X	NIKON D 40	FUJIFILM Finepix S 5 Pro	NIKON D 80	NIKON D 2 Xs	NIKON D 200
Availability since	since Sep '08	since Jul '08	since Mar '08	since Nov'07	since Nov'07	since Mar '07	since Dec '06	since Sep '06	since Sep '06	since Jul '06	since Dec '05
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	SLR	Bridge	SLR	SLR	SLR
Camera flash TTL system	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL
Remote TTL-system - master function in-build flash	●	●	●	--	●	--	--	●	●	--	●

METZ SYSTEM FLASHES

58 AF-1 digital for Nikon	flash software ≥ V4	flash software ≥ V3	flash software ≥ V2				flash software ≥ V1				
48 AF-1 digital for Nikon	flash software ≥ V3	flash software ≥ V2	flash software ≥ V1				flash software ≥ V1				
36 AF-4 digital for Nikon	flash software ≥ V1										

METZ SCA FLASHES

76 MZ-5 digit with SCA adapter													
45 CL 4 digital with cable SCA 3045 and SCA adapter			SCA 3402 software ≥ M8							SCA 3402 software ≥ M7		SCA 3402 softw. = M7	SCA 3402 softw. ≥ M7
54 MZ-4i digital with SCA adapter													
44 MZ-2 digital with SCA adapter													

METZ MACRO RINGFLASH

15 MS-1 digital	flash software ≥ V1										
------------------------	---------------------	--	--	--	--	--	--	--	--	--	--

NIKON COOLPIX

December 2008



Latest camera models													
	NIKON Coolpix P 6000	NIKON Coolpix P 5100	NIKON Coolpix P 5000										
Availability since	since Sep '08	since Sep'07	since Mar '07										
Camera type	Bridge	Bridge	Bridge										
Camera flash TTL system	i-TTL	i-TTL	i-TTL										
Remote TTL-system - master function in-build flash	--	--	--										
METZ SYSTEM FLASHES													
58 AF-1 digital for Nikon		--	flash softw. \geq V2	flash softw. \geq V1									
48 AF-1 digital for Nikon		--	flash software \geq V1										
36 AF-4 digital for Nikon			flash software \geq V1										
METZ SCA FLASHES													
76 MZ-5 digital with SCA adapter		--	SCA 3402 softw. \geq M7	SCA 3402 softw. \geq M6									
45 CL 4 digital with cable SCA 3045 and SCA adapter		--		SCA 3402 softw. \geq M5									
54 MZ-4i digital with SCA adapter		--											
44 MZ-2 digital with SCA adapter		--											
METZ MACRO RINGFLASH													
15 MS-1 digital			flash software \geq V1										

SONY ALPHA

December 2008



Latest camera models											
	SONY ALPHA 900	SONY ALPHA 350	SONY ALPHA 300	SONY ALPHA 200	SONY ALPHA 700	SONY ALPHA 100					
Availability since	since Oct '08	since Apr '08	since Apr '08	since Feb '08	since Nov '07	since Jul '06					
Camera type	SLR	SLR	SLR	SLR	SLR	SLR					
Camera flash TTL system	ADI	ADI	ADI	ADI	ADI	ADI					
Remote TTL-system - master function in-build flash	--	●	●	●	●	●					

METZ SYSTEM FLASHES

58 AF-1 digital for Sony Alpha		flash software ≥ V2		flash software ≥ V1						
48 AF-1 digital for Sony Alpha		flash software ≥ V2		flash software ≥ V1						
36 AF-4 digital for Sony Alpha			flash software ≥ V1							

METZ SCA FLASHES

76 MZ-5 digital with SCA adapter		SCA 3302 software ≥ M8		SCA 3302 software ≥ M7						
45 CL 4 digital with SCA adapter, cable		SCA 3302 software ≥ M8		SCA 3302 software ≥ M7						
54 MZ-4i digital with SCA adapter		SCA 3302 software ≥ M8		SCA 3302 software ≥ M7						
44 MZ-2 digital with SCA adapter			--- no TTL function ---							

METZ MACRO RINGFLASH

15 MS-1 digital			flash software ≥ V1							
------------------------	--	--	---------------------	--	--	--	--	--	--	--

OLYMPUS - PANASONIC

December 2008



Latest camera models											
	OLYMPUS E - 30	OLYMPUS SP-565 UZ	PANASONIC LUMIX G-1	PANASONIC LUMIX DMC-LX 3	OLYMPUS E - 520	PANASONIC LUMIX DMC-L10	OLYMPUS E - 420	OLYMPUS E - 3	OLYMPUS E - 510	OLYMPUS E - 410	PANASONIC LUMIX DMC-FZ 50
Availability since	new: Jan '09	since Sep '08	since Sep' 08	since Aug '08	since Jun '08	since Oct'07	since Apr'08	since Nov'07	since Jul '07	since Jun '07	since Sep '06
Camera type	SLR	Bridge	SLR	Bridge	SLR	SLR	SLR	SLR	SLR	SLR	Bridge
Camera flash TTL system	Four Thirds	Four Thirds	Four Thirds	Four Thirds	FourThirds	FourThirds	FourThirds	FourThirds	FourThirds	FourThirds	FourThirds
Remote TTL-system - master function in-build flash	TEST	●	--	--	●	--	●	●	--	--	--
METZ SYSTEM FLASHES											
58 AF-1 digital for Olympus/Panasonic		TEST result will follow	flash software ≥ V2 (only remote)			flash software ≥ V2					flash software ≥ V1
48 AF-1 digital for Olympus/Panasonic		TEST result will follow	flash software ≥ V2 (only remote)			flash software ≥ V2					flash software ≥ V1
36 AF-4 digital for Olympus/Panasonic		TEST result will follow	--					flash software ≥ V1			
METZ SCA FLASHES											
76 MZ-5 digital with SCA adapter		TEST result will follow	--								
45 CL 4 digital with SCA apdater, cable		TEST result will follow	--		SCA 3202 software ≥ M7				SCA 3202 software ≥ M5		SCA 3202 softw. ≥ M6
54 MZ-4i digital with SCA adapter		TEST result will follow	--								
44 MZ-2 digital with SCA adapter		TEST result will follow	--								
METZ MACRO RINGFLASH											
15 MS-1 digital								flash software ≥ V1			

PENTAX - SAMSUNG

December 2008



Latest camera models											
	PENTAX K - m	PENTAX K 20 D	PENTAX K 200 D	SAMSUNG GX-20	PENTAX K 100 D Super	SAMSUNG GX-10	PENTAX K 10 D				
Availability since	since Nov '08	since Apr'08	since Apr'08	since Mar '08	since Jul '07	since Nov '06	since Jan '06				
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	SLR				
Camera flash TTL system	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL				
Remote TTL-system - master function in-build flash	●	●	●	●	--	●	●				
METZ SYSTEM FLASHES											
58 AF-1 digital for Pentax / Samsung 				flash software ≥ V1							
48 AF-1 digital for Pentax / Samsung 				flash software ≥ V1							
36 AF-4 digital for Pentax / Samsung 				flash software ≥ V1							
METZ SCA FLASHES											
76 MZ-5 digital with SCA adapter 											
45 CL 4 digital with SCA adapter, cable 				SCA 3702 software ≥ M2							
54 MZ-4i digital with SCA adapter 											
44 MZ-2 digital with SCA adapter 				--- no P-TTL- function ---							
METZ MACRO RINGFLASH											
15 MS-1 digital				flash software ≥ V1							

LEICA

December 2008



Latest camera models												
	LEICA S 2	LEICA M 8.2	LEICA M 8	LEICA D-LUX 4	LEICA V-LUX 1	LEICA Digilux 3						
Availability since	new: 2009	since Sep '08	since Nov '06	since Oct '08	since Oct '06	since Oct '06						
Camera type	SLR	SLR	SLR	Bridge	SLR	SLR						
Camera flash TTL system	Leica TTL	Leica TTL	Leica TTL	FourThirds	FourThirds	FourThirds						
Remote TTL-system - master function in-build flash	--	--	--	--	--	--						
METZ SYSTEM FLASHES												
58 AF-1 digital for Olympus/Panasonic 	---	---	---	flash softw. \geq V2	flash software \geq V1							
48 AF-1 digital for Olympus/Panasonic 	---	---	---	flash softw. \geq V2	flash software \geq V1							
36 AF-4 digital for Olympus/Panasonic 	---	---	---		flash software \geq V1							
METZ SCA FLASHES												
76 MZ-5 digital with SCA adapter 	TEST result will follow	SCA 3502 software \geq M5		---	SCA 3202 software \geq M6	SCA 3202 software \geq M5						
45 CL 4 digital with SCA adapter, cable 	TEST result will follow			---								
54 MZ-4i digital with SCA adapter 	TEST result will follow	SCA 3502 software \geq M4		---								
44 MZ-2 digital with SCA adapter 	TEST result will follow			---								
METZ MACRO RINGFLASH												
15 MS-1 digital	---	---	---		flash software \geq V1							